

**THIS REPORT IS THE ENGLISH VERSION OF THE TEST REPORT NO. SL520252460560TX
DATE: 2020-6-6**

The following sample(s) was/were submitted and identified on behalf of the client as:

Client Information	Consignor:	WENZHOU SHENYUAN MEDICAL EQUIPMENT CO.,LTD		
	Consignor address:	B01 PLATE,MOCHENG INDUSTRIAL ZONE,AOJIANG TOWN,PINGYANG COUNTY,WENZHOU CITY,ZHEJIANG PROVINCE,CHINA		
Sample information	Sample Description:	NON-MEDICAL DISPOSABLE KN95 PROTECTIVE MASK IN WHITE.		
	Specification and model:	SY2001		
	Produce date:	202004		
	Manufacturer:	WENZHOU SHENYUAN MEDICAL EQUIPMENT CO.,LTD		
	Expired date:	3 years		
	Sample Quantity:	One Package		
Test Information	Test Type:	Submitted (sample sent by client)		
	Sample Received Date:	2020-04-28	Test Period:	2020-04-28~2020-06-06
	Document Accordance	See test result page		
	Judgement Accordance	Clients' requirement: GB 2626-2006 Respiratory protective equipment- Non-powered air-purifying particle respirator		
Test Conclusion	The report only give the test result and Individual Judgment, detail please see follow page.			

Signed for and on behalf of
SGS-CSTC Standards Technical Services (Shang hai) Co.,Ltd
Approved by:



Ellen Cui(Authorized Signatory)
This test report refer only to the samples tested



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.
Testing Center

3rd Building, No.889, Yeshan Road, Xuhui District Shanghai, China 200233 t (86-21) 61402666 f (86-21) 64958763 www.sgsgroup.com.cn
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 t (86-21) 61402666 f (86-21) 64958763 e sgs.china@sgs.com

Test Results and Judgment

GB 2626-2006:

No.	Test Item & Test Methods	Unit	Requirement	Test Result	Individual Judgment	
1.	Markings (GB 2626-2006, 7)	-	Markings on the product and packaging shall meet clause 7.1&7.2 of GB 2626-2006	Below requirement (See appendix 1 for details)	Fail	
2.	Mask band (GB 2626-2006 6.11)	-	For disposable face mask: Apply a tensile force of 10 N for 10 s, no slip-out, breakage occurs during the test.	Original	Apply a tensile force of 10 N for 10 s, no slip-out, breakage occurs during the test.	Pass
			For replaceable half face mask: Apply a tensile force of 50 N for 10 s, no slip-out, breakage occurs during the test. For replaceable full face mask: Apply a tensile force of 150 N for 10 s, no slip-out, breakage occurs during the test.	After pretreatment	Apply a tensile force of 10 N for 10 s, no slip-out, breakage occurs during the test.	
3.	Appearance (GB 2626-2006 6.1)	-	The sample surface shall be no damage, deformation and other other defects. The materials and structure of the sample shall be able to withstand normal use conditions and possible temperature, humidity. The mask band should be adjustable. After temperature, humidity pretreatment, the sample surface shall be no damage, deformation and other other defects.	Meet the requirement	Pass	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSI (Shanghai) Inspection & Testing Services Co., Ltd.
Testing Center

3rd Building, No. 889, Yeshan Road, Xuhui District Shanghai, China 200233 t (86-21) 61402666 f (86-21) 64958763 www.sgsgroup.com.cn
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 t (86-21) 61402666 f (86-21) 64958763 e sgs.china@sgs.com

No.	Test Item & Test Methods	Unit	Requirement	Test Result	Individual Judgment	
4.	Filtration Efficiency (GB 2626-2006 6.3)	%	≥ 95.0	Original	98.204	Pass
					98.229	
					98.244	
					98.198	
					98.423	
					98.166	
					97.901	
					98.242	
					98.237	
				97.821		
				After pretreatment	98.445	
					98.662	
					98.167	
					98.868	
98.778						
5.	Inhalation resistance* (GB 2626-2006 6.5)	Pa	≤ 350	Original	123	Pass
				After pretreatment	133	
6.	Exhalation resistance* (GB 2626-2006 6.6)	Pa	≤ 250	Original	108	Pass
				After pretreatment	111	
7.	Burning* (GB 2626-2006 6.15)	-	When tested, the mask shall not burn or not to continue to burn for more than 5 s after removal from the flame.	Original	Non flammable	Pass
					Non flammable	
				After pretreatment	Non flammable	
					Non flammable	
8.	Dead space* (GB 2626-2006, 6.9)	%	≤ 1	0.9	Pass	
9.	Field of vision* (GB 2626-2006, 6.10)	-	Lower field of vision $\geq 60^\circ$	63°	Pass	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSI (Shanghai) Technical Services Co., Ltd.
Testing Center

3rd Building, No. 889, Yeshan Road, Xuhui District Shanghai, China 200233 t (86-21) 61402666 f (86-21) 64958763 www.sgsgroup.com.cn
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 t (86-21) 61402666 f (86-21) 64958763 e sgs.china@sgs.com

No.	Test Item & Test Methods	Unit	Requirement	Test Result							Individual Judgment	
				Subject	D1(%)	D2(%)	D3(%)	D4(%)	D5(%)	TIL(%)		
10.	Leak performance** (GB 2626-2006, 6.4)	-	TIL of at least 46 of 50 actions is <11%; TIL of at least 8 out of 10 subjects <8%	Original	1#	6.5	7.2	7.0	7.1	6.5	6.9	Pass
					2#	6.1	6.9	7.2	7.3	6.6	6.8	
					3#	6.3	6.8	6.9	7.2	6.5	6.7	
					4#	6.3	7.1	7.2	6.9	6.4	6.8	
					5#	7.1	7.7	7.7	7.7	7.2	7.5	
				After pretreatment	6#	6.3	6.9	7.1	7.0	6.3	6.7	
					7#	6.2	7.2	7.4	7.0	6.6	6.9	
					8#	6.4	7.0	7.2	7.1	6.5	6.8	
					9#	7.0	7.7	7.8	7.8	7.1	7.5	
					10#	6.9	7.6	7.7	7.6	7.1	7.4	

** The test is not approved in SGS SH by China Inspection Body and Laboratory Mandatory Approval. It was carried out by Jiangsu Guojian Testing Technology Co.,Ltd, its CMA certificate No. is 161019130764 and CNAS registration No. is L10118.

*= The test is not approved in SGS SH by China Inspection Body and Laboratory Mandatory Approval. It was carried out by Tianfangbiao standardization certification & testing co., ltd, its CMA certificate No. is 170011263663&170011260277 and CNAS registration No. is L0608.

The statement of conformity in this test report is only based on measured values by the laboratory and does not take their uncertainties into consideration.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSI Technical Services (Shanghai) Co., Ltd.
Testing Center

3rd Building, No.889, Yeshan Road, Xuhui District Shanghai, China 200233 t (86-21) 61402666 f (86-21) 64958763 www.sgsgroup.com.cn
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 t (86-21) 61402666 f (86-21) 64958763 e sgs.china@sgs.com

Appendix 1: **Markings** (GB 2626-2006)

Test Items		Test Result
Marking on the product shall include:		
Markings on the product (GB 2626-2006, 7.1)	a. The name, trademark or other means of identification of the manufacturer or supplier	Fail information loss
	b. Model and size (if applicable)	/
	c. Number of this standard, filter type on each filter element. Filter classification shall be marked in a way of combining both number of the standard and filter type, for example, GB 2626- 2006 KN90, or GB 2626- 2006 KP100.	Fail Number of this standard information loss
The following information shall be clearly and durable marked on the smallest commercially available packaging or legible through it if the packaging is transparent:		
Markings on the package (GB 2626-2006, 7.2)	a. The name, trademark or other means of identification of the manufacturer or supplier	Fail indication Chinese loss
	b. Mask type, model and size (if applicable)	/
	c. Number of this standard, filter classification on each filter element. Filter classification shall be marked in a way of combining both number of the standard and filter type and class, for example, GB 2626- 2006 KN90, or GB 2626- 2006 KP100.	Fail indication Chinese loss
	d. The product license number or approval information (if applicable)	Not applicable
	e. Manufacture date (at least with year and month) or lot number, and shelf life (at least with year)	Fail indication Chinese loss
	f. Wordings "see information supplied by the manufacturer"	Fail indication Chinese loss
	g. Storage conditions recommended by the manufacturer (at least the temperature and humidity)	Fail indication Chinese loss
The above results are only for inspecting the integrity and standardization of the instructions for use of the product, not including verifying the truth of the content.		



End of Report



SGS-CSTC Standards Technical Services (Shanghai) Co., Ltd.
Testing Center for Electrical Services

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

3rd Building, No.889, Yeshan Road, Xuhui District Shanghai, China 200233 t (86-21) 61402666 f (86-21) 64958763 www.sgsgroup.com.cn
中国·上海·徐汇区宜山路889号3号楼 邮编: 200233 t (86-21) 61402666 f (86-21) 64958763 e sgs.china@sgs.com